

Note: You have four choices for each objective type question as A, B, C and D. The choice which you think is correct, fill that circle in front of that question number. Use marker or pen to fill in the circles. Cutting or filling of two or more circles will result zero mark in that question. Attempt as many questions as given in objective type question paper and leave others blank.

MS-ACCESS AND C-LANGUAGE

1. Format specifier used for string
(A) %f (B) %s (C) %c (D) %d
2. The extension of C Program file is
(A) .txt (B) .obj (C) .h (D) .c
3. It is simple to create database using.
(A) query (B) common standards (C) easier programming (D) wizard
4. Which of the following is used to describe the characteristics of an object?
(A) attribute (B) relationship (C) cardinality (D) modality
5. SQL is a(n)
(A) unstructure language (B) structure language
(C) object oriented language (D) software
6. Which of the following function is used to write a string to a file?
(A) puts () (B) putc () (C) f puts () (D) f gets ()
7. What is the value of x after executing the code: for (x=1; x<=10; x++)
(A) 9 (B) 10 (C) 11 (D) 12
8. Another term for a conditional operator is
(A) ternary (B) binary (C) uniary (D) byte
9. The column of a table correspond to
(A) table (B) record (C) attribute (D) cell
10. In 3NF, a non-key attribute must not depend on a(n)
(A) non-key attribute (B) key attribute (C) composite key (D) sort key
11. To find a four character name that starts with H, the criteria is
(A) H*4 (B) H???? (C) H?4 (D) H####
12. The parameters in function declaration.
(A) actual parameters (B) formal parameters (C) returned parameters (D) call parameters
13. Which loop structure always executes at least once?
(A) do-while (B) for (C) while (D) for-next
14. An expression that uses a relational operator is known as
(A) operational (B) sequential (C) relational (D) serial
15. Which of the following operator has the lowest precedence?
(A) ! (B) + (C) = (D) ==

(TURN OVER)

OR
MS-ACCESS AND VISUAL BASIC
Code: 8838

1. The naming prefix for a label control is
(A) lab (B) lbl (C) lbe (D) lbl
2. The output of the compiler is called
(A) program (B) source code (C) linked code (D) object code
3. It is simple to create database using.
(A) query (B) common standards (C) easier programming (D) wizard
4. Which of the following is used to describe the characteristics of an object?
(A) attribute (B) relationship (C) cardinality (D) modality
5. SQL is a(n)
(A) unstructure language (B) structure language
(C) object oriented language (D) software
6. Which keyword is used to trigger the execution of another procedure?
(A) go (B) start (C) call (D) run
7. What will be the value of n after executing the following code
 For n = 1 to 10 step 2
 print n
 Next
(A) 9 (B) 10 (C) 11 (D) 12
8. Which method is used to delete an item from the list box?
(A) remove item (B) add item (C) clear item (D) erase item
9. The column of a table correspond to
(A) table (B) record (C) attribute (D) cell
10. In 3NF, a non-key attribute must not depend on a(n)
(A) non-key attribute (B) key attribute (C) composite key (D) sort key
11. To find a four character name that starts with H, the criteria is
(A) H*4 (B) H???? (C) H?4 (D) H####
12. Every element of array has its own
(A) upper bound (B) index (C) name (D) syntax
13. Which is post test loop?
(A) do-while (B) while (C) for-next (D) for
14. The default message box style is
(A) Yes No (B) Yes No Cancel (C) OK Only (D) Retry Cancel
15. Visual Basic is a product of
(A) IBM (B) Sun System (C) Microsoft (D) Google