

(Academic Sessions 2017 – 2019 to 2019-2021)**COMPUTER SCIENCE**

221-(INTER PART – II)

Time Allowed : 20 Minutes

Q. PAPER – II (Objective Type)**PAPER CODE = 8833**

Maximum Marks : 15

Note : Four possible answers A, B, C and D to each question are given. The choice which you think is correct, fill that circle in front of that question with Marker or Pen ink in the answer-book. Cutting or filling two or more circles will result in zero mark in that question.

(MS –ACCESS)

1-1	In the relational model, --- is the basic structure in which data is stored : (A) Attribute (B) Record (C) Table (D) Form
2	Different attributes in two different tables having same name are referred to as : (A) Synonym (B) Homonym (C) Acronym (D) Mutually exclusive
3	Insert command is used to insert : (A) A new table (B) A new record (C) Dependencies (D) A new query
4	Customers, cars and parts are examples of : (A) Entities (B) Attributes (C) Cardinals (D) Relationships
5	The manipulated and processed data is called : (A) Object (B) Information (C) Knowledge (D) Data
6	A database consists of various components called the : (A) Tool (B) Properties (C) Entities (D) Object

(C-Language)

7	The symbol ' = ' represents : (A) Comparison operator (B) Assignment operator (C) Equal to operator (D) Terminal operator
8	An if statement inside another if statement : (A) if statement (B) inside if (C) Nested if statement (D) Mid if
9	Escape sequence \\ is used to print : (A) New line (B) Backslash (C) Space (D) Tab
10	A loop inside the body of another loop : (A) while loop (B) for loop (C) Nested loop (D) Infinite loop
11	Void occupy how many bytes in memory : (A) Zero (B) One (C) Two (D) Four
12	Formal arguments are also called : (A) Actual arguments (B) Dummy arguments (C) Original arguments (D) Referenced arguments
13	Which of the following operators has lowest precedence : (A) ! (B) + (C) = (D) ==
14	getch () is a part of : (A) stdio.h (B) conio.h (C) math.h (D) string.h
15	Preprocessor directives are commands for : (A) Microprocessor (B) Language processor (C) C preprocessor (D) Loader